



Mass Timber Integrated into Building Enclosures

- → Mass timber elements often part of the building enclosure
 - → Above grade walls & roofs
 - ightarrow Wood desired to be left exposed for function and aesthetics
 - → Protection from moisture during construction & inservice
 - → Heat, air, and moisture, noise and fire
 - → Movement: structural loads, initial & seasonal wood movement
 - → Structural: load bearing or not (infill or curtainwall)





RDH

What Makes Mass Timber Buildings Unique?

- →Use of engineered mass timber components
 - →Alternate structural systems (post/beam, engineered panels, infill components)
 - →Unique & new connections, interfaces & details
 - → Hybrid steel-wood-concrete components & connections
- Longer & heightened exposure of large wood components to rain and weathering during construction
- →Is not the same as stick built mid-rise woodframe, but is also different from high-rise steel or concrete structures






Tall Wood Structures

- →Potentially erected fast
- → Sensitive to moisture
- →Greater movement (shrinkage & drift)
- →Mixed steel, concrete & wood components & connections
- → Fire codes dictate protection during erection and exposure of wood finishes when complete



RDH



Tall Wood <u>Building Enclosures</u>

→Need for Speed


- →Erect and seal as fast as possible to protect the wood structure
- →Preference for offsite prefabrication & minimal site preparation
- →Be accommodating of inclement weather


→Ensure Durability


- → Robust materials high-rise appropriate
- → Be more tolerant of movement
- →Thermally efficient
- →Non-combustible





RDH


































Precedents for Prefabrication of Tall Wood




Courtesy of: Architekten Hermann Kaufmann ZT GmbH


Precedents for Prefabrication of Tall Wood

































































The Future of Tall Wood Facades/Enclosures

- →Erected at same pace as structural systems build fast & dry
- Growing market opportunities for wood based prefabricated wall & window assemblies
 - → Hybrid steel, concrete, wood framing or wood panel
 - Inspired by precast concrete and aluminum curtainwall industry, evolve and adapt for mass timber structures
- →A Trifecta of Progression
 - → Prefab, Passive House, & Mass Timber



RDH

Discussion + Questions

bch@rdh.com

Learn more at rdh.com



RDH Building Science



@RDHBuildings



